

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 1 | 2 | ((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 and time and period and calibrat\$9) and identify\$9 and measur\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 17:09 |
| 2 | 2 | ((((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 and time and period and calibrat\$9) and identify\$9 and measur\$9) and verif\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 17:23 |
| 3 | 1 | (((((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 and time and period and calibrat\$9) and identify\$9 and measur\$9) and verif\$9) and threshold\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 17:24 |
| 4 | 2 | (((((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 and time and period and calibrat\$9) and identify\$9 and measur\$9) and verif\$9) and (threshold\$2 or limit\$9) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 17:24 |
| - | 0 | determin\$3 near2 (logical adj location) and (network adj latency) and PING\$3 near2 nodes | USPAT; US-PGPUB; EPO; JPO | 2004/05/01 13:07 |
| - | 0 | determin\$3 near2 (logical adj location) and (network adj latency) | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:39 |
| - | 0 | determin\$3 near4 (logical adj location) and (network adj latency) | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:39 |
| - | 279 | network adj latency | USPAT; US-PGPUB; EPO; JPO | 2002/12/07 09:54 |
| - | 21 | (network adj latency) and PING | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:35 |
| - | 0 | ((network adj latency) and PING) and (logical adj address) | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:40 |
| - | 10 | ((network adj latency) and PING) and logical | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:40 |
| - | 9 | ((network adj latency) and PING) and logical) and physical | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:30 |
| - | 9 | (physical adj location) and (logical adj network adj address) | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:05 |
| - | 4 | ((physical adj location) and (logical adj network adj address)) and determin\$3 near4 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:46 |
| - | 0 | ((physical adj location) and (logical adj network adj address)) and determin\$3 near4 nodes) and latency and vector | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:45 |
| - | 5 | geolocat\$3 near3 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:51 |
| - | 0 | geolocat\$3 near3 nodes with logical | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:48 |
| - | 0 | geolocat\$3 near3 nodes with address | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:48 |

| | | | | |
|---|-----|--|---------------------------------|------------------|
| - | 1 | (geolocat\$3 near3 nodes) and location and physical and logical | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 07:50 |
| - | 10 | (physical adj2 location) and (logical adj2 network adj address) | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:06 |
| - | 12 | (physical adj3 location) and (logical adj3 network adj address) | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:46 |
| - | 5 | geolocat\$4 near4 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:12 |
| - | 5 | geolocat\$4 near5 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:26 |
| - | 5 | geolocat\$4 near10 nodes | USPAT; US-PGPUB; EPO; JPO | 2004/05/01 13:33 |
| - | 261 | measur\$4 near4 latency and (nodes or endpoints or stations) | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:32 |
| - | 36 | (measur\$4 near4 latency and (nodes or endpoints or stations)) and logical and physical and vector and table | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:33 |
| - | 0 | ((measur\$4 near4 latency and (nodes or endpoints or stations)) and logical and physical and vector and table) and PING | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:33 |
| - | 31 | (measur\$4 near4 latency and (nodes or endpoints or stations)) and PING | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:33 |
| - | 5 | ((measur\$4 near4 latency and (nodes or endpoints or stations)) and PING) and logical and physical | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:34 |
| - | 0 | ((measur\$4 near4 latency and (nodes or endpoints or stations)) and PING) and geolocat\$3 near4 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:35 |
| - | 1 | ((measur\$4 near4 latency and (nodes or endpoints or stations)) and PING) and locat\$3 near4 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 11:33 |
| - | 0 | latency adj3 topology adj3 map | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:39 |
| - | 0 | latency adj3 topology adj3 table | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:39 |
| - | 87 | latency adj3 table | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:39 |
| - | 0 | (latency adj3 map) and network and PING | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:40 |
| - | 5 | (latency adj3 table) and network and PING | USPAT; US-PGPUB; EPO; JPO | 2002/11/08 14:13 |
| - | 157 | SNMP adj3 messages | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 08:51 |
| - | 6 | (SNMP adj3 messages) and encode and decode | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 09:00 |
| - | 1 | (SNMP adj3 messages) and header and size and offset and (memory adj3 buffer) | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 09:02 |

| | | | | |
|---|------|---|---|------------------|
| - | 1 | (SNMP adj3 messages) and header and size and offset and (memory adj3 buffer) and (control adj3 structure) | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 09:04 |
| - | 0 | ((SNMP adj3 messages) and header and size and offset and (memory adj3 buffer) and (control adj3 structure)) and calculating | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 09:05 |
| - | 1 | ((SNMP adj3 messages) and header and size and offset and (memory adj3 buffer) and (control adj3 structure)) and calculate | USPAT; US-PGPUB; EPO; JPO | 2002/05/18 09:05 |
| - | 1 | (measur\$4 near2 (network adj latency)) and geolocation | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:36 |
| - | 13 | measur\$4 near2 (network adj latency) | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 13:06 |
| - | 5 | (physical adj3 location) and (logical adj3 network adj address) and latency | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:47 |
| - | 44 | (network adj latency) and PING | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:50 |
| - | 31 | latency adj3 map | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:51 |
| - | 1 | geolocat\$3 near1 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:52 |
| - | 7 | geolocat\$3 near2 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 11:01 |
| - | 0 | (geolocat\$3 near2 nodes) and PING | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 10:56 |
| - | 4 | ((measur\$4 near4 latency and (nodes or endpoints or stations)) and PING) and locat\$3 near4 nodes | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 11:36 |
| - | 0 | ((measur\$4 near4 latency and (nodes or endpoints or stations)) and PING) and locat\$3 near4 nodes) and arrange | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 11:36 |
| - | 3 | ((measur\$4 near4 latency and (nodes or endpoints or stations)) and PING) and locat\$3 near4 nodes) and order | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 11:37 |
| - | 12 | measur\$4 near2 (network adj latency) and order | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 13:14 |
| - | 8 | measur\$4 near2 (network adj latency) and distance | USPAT; US-PGPUB; EPO; JPO | 2002/11/09 13:14 |
| - | 3085 | 709/224 | USPAT; US-PGPUB; EPO; JPO | 2002/12/07 09:54 |
| - | 103 | (network adj latency) and measurement | USPAT; US-PGPUB; EPO; JPO | 2002/12/07 09:55 |
| - | 19 | ((network adj latency) and measurement) and PING and location | USPAT; US-PGPUB; EPO; JPO | 2002/12/07 09:55 |
| - | 1 | geolocat\$9 same address same location same (round-trip or roundtrip or (round adj trip)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 13:42 |

| | | | | |
|---|------|---|---|------------------|
| - | 2 | (GPS or (global adj position adj system)) same address same location same (round-trip or roundtrip or (round adj trip)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 13:17 |
| - | 2 | (GPS or (global adj position\$9 adj system)) same address same location same (round-trip or roundtrip or (round adj trip)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 13:22 |
| - | 22 | determin\$9 same (location or area or position) same (device or hardware or Pc or computer entit\$3 or object) same address same (non-linear or (non adj linear)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 13:25 |
| - | 3 | (determin\$9 same (location or area or position) same (device or hardware or Pc or computer entit\$3 or object) same address same (non-linear or (non adj linear))) and internet\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:10 |
| - | 1 | geolocat\$4 near7 (logical adj4 network adj4 addresses) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 13:33 |
| - | 2695 | 709/220 | USPAT; US-PGPUB; EPO; JPO | 2004/05/01 13:33 |
| - | 6 | geolocat\$4 and 709/220 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 13:33 |
| - | 1 | (geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:16 |
| - | 5 | (geolocat\$9 and (round-trip or roundtrip or (round adj trip))) and address) and logical and physical | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:07 |
| - | 5 | (geolocat\$9 and (round-trip or roundtrip or (round adj trip))) and address) and internet\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:14 |
| - | 6 | (geolocat\$4 and 709/220) and internet\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:17 |
| - | 1 | ((geolocat\$4 and 709/220) and internet\$9) and (round-trip or roundtrip or (round adj trip)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:16 |
| - | 5 | (geolocat\$9 and (round-trip or roundtrip or (round adj trip))) and address) and internet\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:25 |

| | | | | |
|---|----|--|---|------------------|
| - | 1 | (geolocat\$4 and 709/220) and vector\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:25 |
| - | 27 | geolocat\$9 and (round-trip or roundtrip or (round adj trip)) and address | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 15:03 |
| - | 15 | (geolocat\$9 and (round-trip or roundtrip or (round adj trip)) and address) and delay\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 14:34 |
| - | 66 | geolocat\$9 and (round-trip or roundtrip or (round adj trip)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 15:02 |
| - | 1 | (geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip)) and address | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 15:03 |
| - | 2 | (geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 15:11 |
| - | 2 | ((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 15:11 |
| - | 0 | ((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 and (mearsur\$9 same time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 15:12 |
| - | 2 | ((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 and time | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 15:23 |
| - | 2 | ((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 and time and period and calibrat\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 15:36 |
| - | 2 | ((geolocat\$4 and 709/220) and (round-trip or roundtrip or (round adj trip) or latency) and address) and ping\$9 and time and period and calibrat\$9 and identify\$9 and measur\$9 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/01 17:09 |